




CENTURION LEISURE

AUTOMATIC SLATTED POOL COVERS



D E S I G N | C O N S T R U C T I O N | I N N O V A T I O N



BENEFIT FROM THE COMFORT AND SAFETY OF A CENTURION LEISURE SLATTED COVER

- A four seasons protection solution.
- Easy to use.
- The water temperature is maintained during the season.
- Economic solution: less evaporation. Improved heat balance for longer, more affordable pool use.
- Integration: slatted covers are the ideal balance between discretion and aesthetics.
- Safety and peace of mind: your slatted cover is compliant with the French safety standard, which is the strictest in the world.



CONTENTS

PRODUCT	PAGE
OPEN Néo	4
OPEN Classic / Solar	6
OPEN Aero	8
OPEN Surf System® / Solar	10
BANC Classic / Solar	12
BANC Surf System® / Solar	14
IMM'Ax	16
IMM'Box	18
IMM'Ax / IMM'Box accessories	20
DIVER	22
WING System®	24
Slats	26

THE GUARANTEES OF A FRENCH SPECIALIST IN POOL SLATTED COVERS FOR OVER 25 YEARS.

With over 97,000 slatted covers installed in 52 countries prove the unequalled experience in safety cover design and production.

The passion of our teams is put at the service of quality at all levels, for the complete satisfaction of our clients.

Centurion leisure offers French quality in a wide choice of models adapted to any pool configuration and any budget. Above or submerged slatted covers, standard or made to-measure, fixed or mobile, manual, electric or solar...and as always, compliant with the French NF P 90-308 safety standard, the strictest safety standard in the world.



OPEN NÉO

ABOVE WATER SLATTED POOL COVER



SAFETY AND A CONTROLLED BUDGET

The OPEN Néo is an above-water motorised slatted cover that can be fitted to almost all existing or future pools. Its reduced overall dimensions limit the space used on the pool deck.

DESCRIPTION

MOTORISATION:

Declutchable 24V tubular motor with or without limit

SLAT COVER

PVC Slats ①



White*

Blue

Light grey

Sable

POLYCARBONATE SLATS



Blue tinted
Translucent

Clear

Black
Fumée

STANDS ②

White, Sable or Light Grey powder coating



MANUAL LOCKING MECHANISMS ③

- Anti-lifting buckles*
- Straps on the pool deck
- Coverlock system
- FEEX'O device



OPTIONS

ABRIBLUE WIRELESS CONTROL BOX.

Comfort and simplicity



LUMINOUS TRANSLUCENT COVER.

Guaranteed mood effect



* Standard finishes

Range of application:
 $\geq 2 \times 2 \text{ m} \leq 5 \times 10 \text{ m}$
(+ step unit R 1.5 m).



NF P 90-308
STANDARD



MAINS POWER
SUPPLY



NEW BUILD



REFURBISHMENT



MOTOR
STRUCTURE AND
SLAT COVER
GUARANTEES

OPEN CLASSIC / SOLAR

ABOVE WATER SLATTED POOL COVER



THE REFERENCE IN ABOVE-WATER SLATTED SAFETY COVER

The OPEN Classic is the most widely sold above-water slatted cover in the world. It is very simple and quick to install and can be fitted to almost any pool. Ideal for new build swimming pools.

DESCRIPTION

MOTORISATION:

Declutchable 24V tube motor with limit switches.

BUILT-IN SLOW MODE SYSTEM:

Coupled to your water treatment system for slatted cover position-based regulation.

SLAT COVER

PVC Slats ①



White*

Blue

Light grey

Sable

POLYCARBONATE SLATS



Blue tinted
Translucent

Clear

Black
Fumée

STANDS ②


White, Sable or Light Grey powder coating.



MANUAL LOCKING MECHANISMS ③

- Anti-lifting buckles*
- Straps on the pool deck
- Coverlock system
- FEEX'O device

* Standard finishes



OPTIONS

ABRIBLUE WIRELESS CONTROL BOX.

Comfort and simplicity.




LUMINOUS TRANSLUCENT COVER.

Guaranteed mood effect.



OPEN Classic is also available with a solar power supply: OPEN Solar Energy.

Runs anywhere and all year round with 5 h of sunlight per day. Quick and easy installation: your pool is secured without having to lay electric power lines. Ideal solution for refurbishment.



Range of application:
 $\geq 2 \times 2 \text{ m} \leq 7 \times 14 \text{ m}$
(+ step unit R 1.5 m).

NF P

NF P 90-308
STANDARD



MAINS
POWER SUPPLY



SOLAR
POWER SUPPLY



NEW BUILD



REFURBISHMENT



MOTOR
STRUCTURE AND SLAT COVER
GUARANTEES



SLOW MODE

OPEN AERO

ABOVE WATER SLATTED POOL COVER

CONTROLLABLE
FROM YOUR
SMARTPHONE



TECHNOLOGY AND DESIGN AT THE SERVICE OF YOUR WELL-BEING.

Enjoy the ease of operating your slatted cover using your smartphone using our app. Open, close and enhance your pool with customised night-time mood lighting thanks to the stand lighting and a wide choice pallet of colours.

DESCRIPTION

MOTORISATION:

Dec clutchable 24V tube motor with limit switches.

BUILT-IN SLOW MODE SYSTEM:

Coupled to your water treatment system for slatted cover position-based regulation.

SLAT COVER

PVC Slats ①




White*

Blue

Light grey

Sable

POLYCARBONATE SLATS



Blue tinted
Translucent

Clear

Black
Fumée

STANDS

Internal aluminium structure encased in matt grey ABS

- ② A white polycarbonate translucent light diffuser
- ③ Materials known for their shock resistance and U.V. stability.

MANUAL LOCKING MECHANISMS

- Anti-lifting buckles*
- Straps on the pool deck
- Coverlock system
- FEEX'O device

* Standard finishes



OPEN AERO can be controlled using a smartphone with Bluetooth.



Controllable using your smartphone, while remaining compliant with safety standard NF P90-308. Using Bluetooth.

Specific AERO application to download from Play Store and App Store free of charge.

The use of these features using a manual control remains possible using the key-operated switch on the stand and a push button for the lighting.



Range of application:
 $\geq 2 \times 2 \text{ m} \leq 5 \times 10 \text{ m}$
(+ step unit R 1.5 m).



NF P 90-308
STANDARD



OPENING /
CLOSURE



STAND LED
LIGHTING



MAINS
POWER SUPPLY



NEW BUILD



REFURBISHMENT



MOTOR
STRUCTURE AND SLAT COVER
GUARANTEES
AND LED LIGHTING



SLOW MODE

OPEN SURF SYSTEM® / SOLAR

ABOVE WATER SLATTED POOL COVER



MOBILE SOLUTION.

The OPEN Surf System® is an automatic moving out of water slatted cover. Its system is used to effortlessly clear the space around the pool and to fit oval, polygon, kidney and other shaped pools. Available in a Solar Energy version.

DESCRIPTION

MOTORISATION:

Decutchable 24V tube motor with limit switches.

BUILT-IN SLOW MODE SYSTEM:

Coupled to your water treatment system for slatted cover position-based regulation.

SLAT COVER

PVC Slats ①



White*

Blue

Light grey

Sable

POLYCARBONATE SLATS



Blue tinted
Translucent

Clear

Black
Fumée

STANDS ② AND ENDSTAND ③

White*, Sable or Light Grey powder coating.



MANUAL LOCKING MECHANISMS ④

- Anti-lifting buckles*
- Straps on the pool deck
- Coverlock system
- FEEX'O device

* Standard finishes



OPEN Surf System[®] is also available in a Solar Energy version.

The photovoltaic panel is aesthetically built into the chassis of the mechanism, making the product completely stand-alone.



Range of application:
 $\geq 2 \times 2 \text{ m} \leq 6 \times 12 \text{ m}$
(+ step unit R 1.5 m).

NF P

NF P 90-308
STANDARD



MAINS
POWER SUPPLY



SOLAR
POWER SUPPLY



NEW BUILD



REFURBISHMENT



3
ans
MOTOR
STRUCTURE AND SLAT COVER
GUARANTEES

BANC CLASSIC / SOLAR

ABOVE WATER SLATTED POOL COVER



AESTHETIC AND EASY TO MAINTAIN

A cased automatic slatted cover, BANC Classic is the solution for anyone who wants to make the most of their pool while retaining the aesthetics of the relaxation area. In its SOLAR ENERGY version, an ecological and economic solution. Ideal for refurbishment.


DESCRIPTION

MOTORISATION:


Declutchable 24V tube motor with limit switches.

SLAT COVER


PVC Slats ①




POLYCARBONATE SLATS



CASING ② White*, sable, light grey PVC or wood.



FRAME ③ White*, sable, light grey PVC or wood.



MANUAL LOCKING MECHANISMS

- Anti-lifting buckles*
- Straps on the pool deck
- Coverlock system
- FEEX'O device

* Standard finishes



BUILT-IN SLOW MODE SYSTEM:

Coupled to your water treatment system for slatted cover position based regulation.

NON 'CO EXCLUSIVE CORROSION GUARANTEE:

The slatted cover's structure is fully corrosion-proof.

OPTIONS

ABRIBLUE WIRELESS CONTROL BOX.

Comfort and simplicity.



BANC Classic is also available with a solar power supply: BANC Solar Energy.

Ecological: the slatted cover is powered by high-efficiency photovoltaic panels built into the casing.



Range of application:
 $\geq 2 \times 2 \text{ m} \leq 6 \times 12 \text{ m}$
(+ step unit R 1.5 m).

NF P

NF P 90-308
STANDARD



MAINS
POWER SUPPLY



SOLAR
POWER SUPPLY



NEW BUILD



REFURBISHMENT



3
ans
MOTOR
AND SLAT COVER
GUARANTEES



Non'Co
5
ans
CORROSION
GUARANTEE



SLOW MODE

BANC SURF SYSTEM® / SOLAR

ABOVE WATER SLATTED POOL COVER



MOBILE AND AESTHETIC

A cased automatic slatted cover, with an innovative system that frees up space during use and the pool deck after securing the pool. BANC SURF System® is used to cover oval, polygon, kidney etc. shaped pools. While preserving pool deck aesthetics.


DESCRIPTION

MOTORISATION:


Declutchable 24V tube motor with limit switches.

SLAT COVER


PVC Slats ①



POLYCARBONATE SLATS




CASING ② White*, sable, light grey PVC or wood.



FRAME ③ AND ENDSTAND ④

Aluminium - White*, Sable or Light Grey powder coating.



MANUAL LOCKING MECHANISMS

- Anti-lifting buckles*
- Straps on the pool deck
- Coverlock system
- FEEX'O device

* Standard finishes




NON 'CO EXCLUSIVE CORROSION GUARANTEE:

The slatted cover's structure is fully corrosion-proof.



BANC Surf System® is also available in a Solar Energy version.

The photovoltaic panel is aesthetically built into the chassis of the mechanism, making the product completely stand-alone.



Range of application:
 $\geq 2 \times 2 \text{ m} \leq 6 \times 12 \text{ m}$
 (+ step unit R 1.5 m).

NF P

NF P 90-308
STANDARD



MAINS
POWER SUPPLY



SOLAR
POWER SUPPLY



NEW BUILD



REFURBISHMENT



MOTOR
AND SLAT COVER
GUARANTEES



Non'Co
CORROSION
GUARANTEE

IMM'AX

SUBMERGED SLATTED POOL COVER



THE REFERENCE IN SUBMERGED SLATTED SAFETY COVERS

IMM'Ax is a motorised, submerged slatted cover, providing the ideal balance between safety, functionalities, discretion and aesthetics.

DESCRIPTION

MOTORISATION:

Declutchable 24V tube motor with limit switches.

SLAT COVER

PVC Slats ①



White*

Blue

Light grey

Sable

Blue

Blue tinted
two ply

POLYCARBONATE SLATS



Two-ply
mother of
pearl

Two-ply
Blue-tinted

Two-ply
Clear/Black

Clear

Black
Fumée

Blue-tinted
translucent

STRUCTURE:

1 roller shaft (composite or aluminium depending on the configuration).

2 composite flanges.

As a safety measure, and to make it easier to install the IMM'Ax submerged slatted cover, we offer a range of accessories on pages 20-21.

MANUAL LOCKING MECHANISMS

- Anti-lifting buckles*
- Straps on the pool deck
- Coverlock system
- FEEX'O device

* Standard finishes



BUILT-IN SLOW MODE SYSTEM:

Coupled to your water treatment system for slatted cover position-based regulation.

NON 'CO EXCLUSIVE CORROSION GUARANTEE:

The slatted cover's structure is fully corrosion-proof.

OPTIONS

ABRIBLUE WIRELESS CONTROL BOX.

Comfort and simplicity.



There are several configurations available for this model. Please feel free to contact our technical department for more details.

Range of application:
 $\geq 2 \times 7 \text{ m} \leq 10 \times 25 \text{ m}$.



NF P 90-308
STANDARD



MAINS
POWER SUPPLY



NEW BUILD



REFURBISHMENT



SLAT COVER
GUARANTEE



MOTOR
GUARANTEE



CORROSION
GUARANTEE



SLOW MODE

IMM'BOX

SUBMERGED SLATTED POOL COVER



IDEAL FOR LARGE POOL

A submerged, motorised slatted cover with its motor located in a dry pit outside of the pool and in line with the roller shaft.


DESCRIPTION

MOTORISATION:


Decutchable 24V tube motor with limit switches.

SLAT COVER

PVC Slats ①



POLYCARBONATE SLATS



STRUCTURE:


1 roller shaft (composite or aluminium depending on the configuration).

As a safety measure, and to make it easier to install the IMM'Box submerged slatted cover, we offer a range of accessories on pages 20-21.

MANUAL LOCKING MECHANISMS

- Anti-lifting buckles*
- Straps on the pool deck
- Coverlock system
- FEEX'O device

* Standard finishes



BUILT-IN SLOW MODE SYSTEM:

Coupled to your water treatment system for slatted cover position-based regulation.

NON 'CO EXCLUSIVE CORROSION GUARANTEE:

The slatted cover's structure is fully corrosion-proof.

OPTIONS

ABRIBLUE WIRELESS CONTROL BOX.

Comfort and simplicity.



Range of application:
 $\geq 2 \times 7 \text{ m} \leq 7 \times 14 \text{ m}$.



NF P 90-308
STANDARD



MAINS
POWER SUPPLY



NEW BUILD



REFURBISHMENT



SLAT COVER
GUARANTEE



MOTOR
GUARANTEE



CORROSION
GUARANTEE



SLOW MODE

There are several configurations available for this model. Please feel free to contact our technical department for more details.

IMM'AX / IMM'BOX ACCESSORIES

SUBMERGED SLATTED POOL COVER




As a safety measure, access behind the submerged slatted cover must be prohibited by the installation of protection.


To make it easier to install, we propose the following range of accessories:

- 1 pair of sliders which will guarantee the strength of the partition,
- a partition wall which will close off the technical pit where the slat cover and its roller shaft are submerged,
- a beam which will extend over the partition for support,
- a duckboard walkway which will cover the technical pit.

Imm'Ax



Imm'Box






DUCKBOARD WALKWAY

BEAM ④

In White*, Sable or Light Grey powder coated aluminium.
It will support the duckboard elements over the pool.


DUCKBOARDS ⑤

- Reinforced **PVC duckboard** is economic and maintenance free.



White* Sable Light grey Galet grey

Aluminium duckboards are not slippery or burning hot under the sun. They require no maintenance



White* Blue Light grey Sable

Uncoated, non treated **exotic wood duckboards** are smooth to the touch and blend perfectly with a natural environment. They require the same care as any wooden furniture.



PARTITION WALL

SLIDERS ①

In composite materials or powder coated aluminium.
They will support the panel sides.



White* Sable Light grey Galet grey

PARTITION PANELS

In reinforced PVC ②

They create a wall and separate the slatted cover area from the bathing area.



White* Sable Light grey Galet grey



* Standard finishes

There are several configurations available for this model. Please feel free to contact our technical department for more details.

DIVER

SUBMERGED SLATTED POOL COVER



SUBMERGED POOL DECK, THE PERFECT SOLUTION FOR MIRROR AND OVERFLOW POOL

Diver is a submerged slatted cover for exceptional pools, designed to very accurately adapt to your environment, even where you would not imagine, with the greatest effectiveness and discretion.


DESCRIPTION

MOTORISATION:


Declutchable 24V tube motor with limit switches.

SLAT COVER ①

PVC Slats



POLYCARBONATE SLATS



SLATTED COVER-PROTECTION

Duckboards PVC



Plate covered with liner or tiling ③ to blend into your pool coating.


STRUCTURE:

1 roller shaft (composite or aluminium depending on the configuration).


accessories on pages 20-21.

MANUAL LOCKING MECHANISMS

- Anti-lifting buckles* ④
- Coverlock system
- Straps on the pool deck
- FEEX'O device



As the mechanism is positioned at the bottom of the pool, there are various combinations:



BUILT-IN SLOW MODE SYSTEM:

Coupled to your water treatment system for slatted cover position-based regulation.

NON 'CO EXCLUSIVE CORROSION GUARANTEE:

The slatted cover's structure is fully corrosion-proof.

ABRIBLUE WIRELESS CONTROL BOX.

Comfort and simplicity.



* Standard finishes

There are several configurations available for this model. Please feel free to contact our technical department for more details.

Range of application:
 $\geq 2 \times 7 \text{ m} \leq 6 \times 12 \text{ m}$.

NF P

NF P 90-308
STANDARD



MAINS
POWER SUPPLY



NEW BUILD



REFURBISHMENT



SLAT COVER
GUARANTEE



MOTOR
GUARANTEE



Non'Co
CORROSION
GUARANTEE



SLOW MODE

WING SYSTEM®

SLATTED POOL COVER



THE SOLUTION FOR SIDE SURFACES

WING System® is an exclusive innovation used to cover side surfaces, step units, pool decks and paddling pools. The pool is secured by a consistent, aesthetic and safe slat cover.

DESCRIPTION


The lateral surface to be covered may have a rectangular, roman, special or trapezoid shape. Made using the same manufacturing and control procedures as the slat cover.

The WING System® is articulated with the slat cover using a hinge system. It unfolds with a simple rotational motion.

SLAT COVER



White* Blue Light grey Sable Blue Blue tinted two ply



* Standard finishes



NF P 90-308
STANDARD



NEW BUILD



REFURBISHMENT



SLAT AND SYSTEM
GUARANTEE

SLATS

SLATTED POOL COVER



DESCRIPTION

Our PVC White Light grey, Galet grey, Sable, Blue and, Two-ply blue-tinted solar slats are compliant with the NF P 90-308 standard.



White*

Blue


Light grey

Sable


Blue

Blue tinted
two ply

The plugs are fitted with removable wings, used to perfectly adapt to the pool dimensions.



Our slatted covers are delivered with a set of wings equipped with guide wheels, which help improve the movement.




OPTIONS

Our PVC White Light grey, Galet grey, Sable, Blue and, Two-ply blue-tinted solar slats are compliant with the NF P 90-308 standard.




SLATS

SLATTED POOL COVER



POLYCARBONATE SLATS

Our polycarbonate Two-ply mother of pearl; Two-ply blue-tinted, Two-ply Clear/Black, Clear, Black Fumée and Translucent blue-tinted slats are compliant with the NF P 90-308 standard




Excellent impact resistance

Exceptionally resistant to hail and other hazards that could damage the slat cover: They are 8 times stronger than a PVC slat.



Improved temperature resistance

Polycarbonate slats withstand heat extremely well.



Heating power

The heating power of polycarbonate slats, an ideal solution to use the pool longer during the season; From 6 to 8 extra degrees depending on the colours.



NF P 90-308
STANDARD



NEW BUILD



REFURBISHMENT




SLAT
GUARANTEE



D E S I G N | C O N S T R U C T I O N | I N N O V A T I O N

To turn your dreams into reality - contact us today for a free design consultation



CENTURION LEISURE

214 High Street, Hornchurch, Essex RM12 6QP

Call us on: 01708 463 090 or 01708 620 520

Email us at: info@centurionleisure.co.uk

www.centurionleisure.co.uk